

# K KOLD SYSTEMS



**LAB COAT STERILIZING CABINET**

At Kold Systems, we provide lab coat sterilizer to keep your lab coat odor free, dry and clean. Our Pureair features ion cluster, germicidal UV lamp and dryer.



Ion Cluster technology- odor removal, chemicals and unpleasant smell being removed effectively



130min dehumidification cycle- enhance odor removal keep lab coat dry and fresh



UV LED sterilization- long wavelength of 405nm visible light range with infrared rays emit simultaneously effectively remove germs and bacteria



Energy saving operation- compare with traditional technology, average power consumption is only 150W



Sterilization and deodorization using ion cluster system removing airborne contaminants.

Effectively Remove chemicals e.g. Ammonia / Toluene, Formaldehyde (HCHO), Total Volatile Organic Compounds

Sterilization with UV LED lamp for germ removal

## PUREAIR



### Specification

Model	PUREAIR
Number of lab coat recommended to proceed at one time	5
External Dimension (HxWxD)	1930 x 695 x 710
Internal Dimension (HxWxD)	1440 x 620 x 560
Net Weight	75kg
Power requirement	Max. 250W
Electrical	220V/ 50Hz



**kold-systems.de**

Wuppertal, Germany

info@kold-systems.de